

RAJASTHAN STATE GANGANAGAR SUGAR MILLS LIMITED Regd. Office: 3<sup>rd</sup> Floor, CoERRA, Near Aranya Bhawan, Jhalana Dungari- 302004(Raj.) CIN-U15421RJ1945SGC000285 Tel. No. 0141-2740841Website: www.excise.rajasthan.gov.in

E-mail:dgmpurchase.rsgsm@rajasthan.gov.in

# **Notice Inviting e-Bid**

FOR

# EMPANELMENT OF NABL ACCREDITED, FSSAI NOTIFIED AND DRUG AND COSMETICS ACT 1940 AND RULES 1945 LABORATORY FOR VARIOUS RAW MATERIAL AND PACKING MATERIAL Two Part Online Bid

(Single Stage)

### Part I

# TECHNICAL BID

(To be submitted duly Filled and Signed Along With the Bid)

NIB. NO. KSGSMI/LAB EMIP./2024-25/ PUK/09		Dated 13.08.2024
Pre-Bid Meeting	:	On 14.08.2024 at 03.00 PM
Bid Submission Start Date	:	From 16.08.2024 at 03.00 PM
Last Date/ Time Of Download Of Bid Form	:	Till 28.08.2024 up To 6.00 PM
Last Date/ Time Of Upload Of The Bid	:	Till 28.08.2024 up To 6.00 PM
Date And Time Of Opening Of The Bid	:	On 29.08.2024 at 03.30 PM
Date And Time Of Opening Of The Financial Bid	:	To Be Intimated Through Eproc Automated Messaging System
Price Of Bid Document	:	Rs. 2360/- Including GST
Price Of E- Bidding Process Fee	:	Rs. 500/-

Dated 12 08 2024

NIB. NO. RSGSM/LAB EMP./2024-25/ PUR/09

#### NIB. NO. RSGSM/LAB EMP./2024-25/ PUR/09

Dated 13.08.2024

#### NOTICE INVITING BIDS

1. The Bidders are required to deposit the following amount in the manner prescribed below against each item in the office of Head office of RSGSM, Jaipur:-

S. No. 1 2	Details of Fee/ Bid-Security Bid Form Fee Bid-Security	Amount 2360/- 2% of Estimated Bid Value as Per RTPP	Mode of Payment Demand draft/banker's cheque/online in the name of 'Rajasthan State Ganganagar sugar Mills Limited Payable at Jaipur.	Payable in Favour of RSGSM, Ltd. Jaipur Should reach at Head office, Jaipur up to 6.00 p.m. on 28.08.2024 .
3	E-Bidding Process Fee	500/-	demand draft/banker's cheque in the name of 'Managing Director RISL, Jaipur' payable at Jaipur	Managing Director, RISL, Jaipur Should reach at Head office, Jaipur up to 6.00 p.m. on 28.08.2024 .

1. Bidding document can be seen at website http://www.excise.rajasthan.gov.in, http://sppp.rajasthan.gov.in. Bidding document may be also seen and downloaded from website http://eproc.rajasthan.gov.in. The price of bidding document may be paid along with user charges/processing fee before the time of submission of the bid.

### 2. ई-बिड प्रस्तुतीकरण के लिये बिडर्स हेतु निर्देश:-

- क बिड में भाग लेने वाले बिडर को इन्टरनेट वेब साइट eproc.rajasthan.gov.in\_पर रजिस्टर करवाना होगा। ऑन लाइन बिड में भाग लेने के लिए डिजिटल सिग्नेचर सर्टिफिकेट (DSC, Type-II), इन्फोरमेषन टेक्नोलॉजी एक्ट– 2000 के तहत प्राप्त करना होगा जो इलेक्ट्रोनिक बिड में साइन करने हेतु काम आयेगा। बिडर उपरोक्त डिजिटल सिग्नेचर सर्टिफिकेट, सी. सी. ए. (CCA) द्वारा स्वीकृत एजेन्सी से प्राप्त कर सकते हैं। जिन बिडर्स के पास E-Procurement Portal के लिए पूर्व में वैध डिजिटल सिग्नेचर सर्टिफिकेट है, उन्हें नया डिजिटल सिग्नेचर सर्टिफिकेट लेने की आवष्यकता नहीं हैं।
- ख बिडर को बिड प्रपत्र इलेक्ट्रॉनिक फार्मेट में उपरोक्त वेबसाइट पर डिजिटल साइन के साथ प्रस्तुत करना होगा।
- **ग** इलेक्ट्रॉनिक बिड प्रपत्र को जमा कराने से पूर्व बिडर यह सुनिश्चित कर लेवे कि बिड प्रपत्रों से संबंधित सभी आवश्यक दस्तावेजों की स्केन कॉपी बिड प्रपत्रों के साथ अटेच कर दी गयी हैं।
- ध कोई भी बिड इलेक्ट्रॉनिक फार्मेट में जमा कराने में किसी कारण से विलम्ब हो जाता है तो उसकी जिम्मेदारी आरएसजीएसएम की नहीं होगी।
- ड बिड प्रपत्र में आवश्यक सभी सूचियों को संपूर्ण रूप से भरकर ऑन लाईन दर्ज करें।

- च ऑन लाईन बिड भरते समय संबंधित निर्देशों का पालन नहीं करने के परिणामस्वरूप बिड प्रक्रिया में उत्पन्न किसी भी प्रकार की बाधा के लिए आरएसजीएसएम की जिम्मेदारी नहीं होगी।
- छ बिडर, यदि आवश्यक हो तो, ऑनलाईन बिड सबमिशन के प्रशिक्षण हेतु सूचना प्रोद्यौगिकी एवं संचार विभाग, प्रथम तल, योजना भवन, तिलक मार्ग, जयपुर के ई–प्रोक्यरमेन्ट सेल हेल्पडेस्क न. 0141–4022688, ई–मेलः eproc@rajasthan.gov.in वेबसाईटः www.eproc.rajasthan.gov.in से सम्पर्क कर सकते है।
- ज बिड में सभी संषोधन बिड जारी करने के उपरान्त eproc.rajasthan.gov.in वेबसाइट पर ही जारी किये जावेंगे। बिडर द्वारा वेब (ई—मेल) पर संषोधनों ⁄ स्पष्टीकरण को प्राप्त नहीं करने के संबंध में किसी भी दावे को स्वीकार नहीं किया जावेगा।
- झ बिड शुल्क (RSGSM Ltd. payable at Jaipur के पक्ष में), बिड प्रोसेसिंग शुल्क (MD, RISL, payable at Jaipur के पक्ष में) के डिमान्ड ड्राफ्ट / बैंकर्स चैक / ऑनलाईन जमा विवरण, बोली प्रतिभूति राषि घोषणा—पत्र (रू. 100 / के नॉन ज्यूडिशियल स्टाम्प पेपर पर) एवं मूल शपथ पत्र (रू. 100 / के नॉन ज्यूडिशियल स्टाम्प पेपर पर) एवं मूल शपथ पत्र (रू. 100 / के नॉन ज्यूडिशियल स्टाम्प पेपर पर) ऑफलाईन बन्द लिफाफे में बिड प्रस्तुतीकरण की अन्तिम तिथि एवं समय तक क्रय अनुभाग, 3rd Floor, CoERRA, Near Aranya Bhawan, Jhalana Dungari- 302004 में जमा कराना होगा। अन्य कोई भी दस्तावेज ऑफलाईन स्वीकार नहीं किये जावेगें।
- 되 Bidders may also pay the fee online before the due date and upload the details online:
  - Online payment towards bid fee, processing fee and bid security shall also be accepted along with the other methods mentioned in the bid. The bidders may deposit the requisite fee (except) through NEFT/ RTGS in the following bank account of RSGSM and upload copy of the deposition slip with details (viz. name of depositor, amount with break-up of the three types of fee, bank branch, bank transaction number, date, etc.) for verification:

Beneficiary Name:	Rajasthan State Ganganagar Sugar Mills Ltd., Jaipur			
Beneficiary Account Number:	25220200001309			
Bank Name:	Bank of Baroda			
Branch Name:	Bais Godam, Jaipur Branch			
IFS Code:	BARBOINDBAI			

Note:-

**01.** Bid Processing Fee will be deposited only in the form of Demand Draft(DD)/ Bankers Cheque(BC) in the name of Managing Director,RISL payable at Jaipur.

ट बिडर यह भी सुनिश्चित करे कि बिड संबंधी एवं चैक—लिस्ट अनुसार सभी दस्तावेजों की सत्यापित प्रति एवं बिड प्रपत्र पूर्ण रूप से भरकर हस्ताक्षरित एवं मोहरबंद कर ऑनलाईन वेबसाईट www.eproc.rajasthan.gov.in पर आवश्यक रूप से अपलोड करें। ऐसा करने में असफल पाये जाने पर बिडर को तकनीकी आधार पर अयोग्य घोषित किया जा सकेगा।

#### Dy. General Manager (Purchase)

Instructions to bidders:			
1.	Nib no.	RSGSM/LAB EMP./2024-25/ PUR/09	
2.	Procuring entity	Rajasthan State Ganganagar Sugar Mills Ltd.	
3.	Subject matter of procurement & period of rate contract	E-bid for Empanelment of NABL Accredited, FSSAI notified and Drug and Cosmetics Act 1940 and Rules 1945 Laboratory for Raw material and Packing Material through rate contract for one year from the date of execution of agreement extendable as per RTPP Act 2012 and RTPP Rules, 2013.	
4.	(i) The price of the bidding document	Rs. 2360/- including GST by way of demand draft/banker's cheque in the name of 'Rajasthan State Ganganagar Sugar Mills Limited' payable at Jaipur or paid online.	
	(ii) e - bid processing fees	Rs. 500/- by way of demand draft/banker's cheque in the name of 'Managing Director RISL, Jaipur' payable at Jaipur.	
5.	Procuring entity's address	Dy. General Manager (Purchase)	
	(For clarification purposes)	Rajasthan State Ganganagar Sugar Mills Limited,	
		3 <sup>rd</sup> Floor, CoERRA, Near Aranya Bhawan, Jhalana	
		Dungari- 302004	
		Tel. 0141-2740841 Fax :0141-2740676	
		Email Id : <u>dgmpurchase.rsgsm@rajasthan.gov.in</u>	
6.	Pre-bid meeting	On 14.08.2024 at 03.00 p.m.	
7.	The language of the bid is	English and/or Hindi	
8.	Documents required to be submitted along with technical bid	As detailed in technical bid check list	
9.	Bid validity period	90 days from the date of opening of technical bid	
10.	Bid security	2% of Estimated Bid Value should reach at Head office, Jaipur up to 6.00 p.m. on 28.08.2024 or paid online.	
11.	Valid authorization for authorized signatory of bid documents	Power of attorney/ board resolution/letter of authorization under signature of competent authority on the letter head of the company/firm	
12.	Downloading of bids	FromRajasthanGovernment'sportalwww.eproc.rajasthan.gov.inup to 6.00 p.m. on 28.08.2024.	
13.	Submission of bids	OnRajasthanGovernment'sportalwww.eproc.rajasthan.gov.inup to 6.00 p.m. on 28.08.2024	

		Electronic submission of bid is mandatory.		
		Bids received after the specified time and date shall not be accepted.		
14.	Opening of bids (a) technical bid	Board room of RSGSM, <b>3<sup>rd</sup> Floor, CoERRA, Near</b> <b>Aranya Bhawan, Jhalana Dungari- 302004</b>		
		Tel. 0141-2740841 Fax :0141-2740676		
		Email Id : <u>dgmpurchase.rsgsm@rajasthan.gov.in</u> at 03.30 PM on 29.08.2024 (on Rajasthan Government's portal <u>www.eproc.rajasthan.gov.in</u> )		
	(Financial bid)	To be intimated through eproc.rajasthan.gov.in automated messaging system		
15.	Execution of agreement	Within 15 days from the date of issue of letter of acceptance (LoA).		
16.	Work performance security	5% of value of ordered quantity within 15 days from the date of issue of letter of acceptance (LoA)/ at the time of execution of agreement.		
17.	Appellate authority	First: Joint Secretary, Finance (Excise) Department, Secretariat, Jaipur.		
		Second : Secretary Finance(Budget)		

### NIB. NO. RSGSM/LAB EMP./2024-25/ PUR/09 Notice inviting e-bid

Dated 13.08.2024

RSGSM invites e-bid for Empanelment of NABL Accredited Laboratory for Raw material and Packing Material etc.. Interested bidders may submit their bids up to 6.00 p.m. of 28.08.2024 . Other particulars of the bid may be visited on the procurement portal (http://eproc.rajasthan.gov.in, http://sppp.rajasthan.gov.in) of the state; http://excise.rajasthan.gov.in/, departmental website.

UBN:

**Dy. General Manager (Purchase)** 

# **Special Terms and Conditions**

Important instructions: - The law relating to procurement "Rajasthan Transparency In Public Procurement Act, 2012" [hereinafter called the act] and the "Rajasthan Transparency Public Procurement Rules, 2013" [hereinafter called the rules] under the said act have come into force which are available on the website of state public procurement portal http://sppp.rajasthan.gov.in. Therefore, the bidders are advised to acquaint themselves with the provisions of the act and the rules before participating in the bidding process. If there is any discrepancy between the provisions of the act/rules and this bidding document, the provisions of the act and the rules shall prevail.

Rajasthan State Ganganagar Sugar Mills Ltd. is a reputed profit generating Organization functioning under the direct control of Finance Department of the Govt. of Rajasthan, presently engaged in the business of Production & sale of Country liquor, as distillers, manufacturers and dealers in Indian Made Foreign Liquor (IMFL), Country Liquor and Royal Heritage Liquor (RHL). RSGSM required procuring various raw and packing materials from the various manufacture time to time through open bid. For raw material maintaining quality of its product RSGSM regularly test the procured raw material. For testing of materials RSGSM Ltd. Has decided to empanel reputed testing labs accredited through National Accreditation Board for testing and calibration laboratories (NABL).

S. N.	Item Description	
A. Edible Items		
1.	Kesar Patti	
2.	Food Masala (छोटी ⁄ बडी ईलायची, मुलेठी, जायफल, सेव मुरब्बा, तेज पत्ता, जावित्री, चन्दनचुरा, इत्यादि <u>)</u>	
3.	Carmel Colour (Whisky, Rum)	
4.	ENA	
5.	Country Liquor	
6.	Rajasthan Made Liquor (Whisky, Rum, Vodka, Gin etc.)	
7.	Heritage Liqour (Kesar Kasturi, Chandrhass, Royal Souf, Jagmohan, Mahuwa etc.)	
8.	Winery Products	
9.	9. Essence (Whisky, Rum, Vodka, Gin)	
	B. Non- Edible Items/ Packing Material	
1.	Corrugated Box (all types)	
2.	Ворр Таре	
3.	Gum Paste Polymer based adhesive gum (for pet bottles)	
4.	Gum Paste Liquid gum (for glass bottles)	
5.	Lables (all types)	
6.	Glass Nips and Bottle (all types)	
7.	Pet Nips	

### 1. Name of Items for testing:-

8.	Ropp Seals (all types)
9.	Inner /Outer Box (all types)
10.	HDPE Jerry Can
11.	Flip Cap/Mist Spray/Pump Cap (all types)
12.	Glycerol
13.	Hydrogen Peroxide
14.	Alovera
15.	Guawla Cap
16.	Paradin

2. <u>The Bidder **must offer for at least 7 items out of 13 following bid items** otherwise the bid shall not be considered and bidder shall be liable for rejection:-</u>

S. N.	Item Description
1.	Caramel Colour (Whisky, Rum)
2.	ENA
3.	Country Liquor
4.	Rajasthan Made Liquor (Whisky, Rum, Vodka, Gin etc.)
5.	Heritage Liqour (Kesar Kasturi, Chandrhass, Royal Souf, Jagmohan, Mahuwa etc.)
6.	Corrugated Box (all types)
7.	Ворр Таре
8.	Gum Paste :-
	01- Polymer based adhesive gum (for pet bottles)
	02- Gum Paste Liquid gum (for glass bottles)
9.	Glass Nips and Bottle (all types)
10.	Pet Nips
11.	Ropp Seals (all types)
12.	Essence (Whisky, Rum, Vodka, Gin)
13.	Guawla Cap

### 3. Eligibility criteria for the Bidder

- 1.1. National Accreditation Board for testing and Calibration Laboratories (NABL) accredited analytical Laboratories having approval/license under the Drugs and Cosmetics Act 1940 and Rules 1945 and FSSAI Notified with minimum two-year experience(Please enclose) in the analysis of Quality Management System with an minimum average annual turnover of Rs. 05 Lakhs for last three years (Govt./ CPSU's Laboratories, Research and Development Laboratories, Laboratories run by Co- operative body and Educational Institutions are exempted from the turnover criteria). Agent are not eligible to participate in the Bid. Bidders must have minimum 2 Year experience in the same nature of business (Please enclose experience certificate/Work Order) and GST registration number.
- 1.2. Drug Testing Laboratories should not have been banned/debarred/black listed by any State or Central Govt. Organizations or its procurement agencies on the due date of bid submission(Please enclose an affidavit on Rs. 100/- non-judicial Stamp as per annexure-B).

- 1.3. Laboratory and its responsible persons should not have ever been convicted under the D&C Act 1940 and Rules 1945, NABL accredited and FSSAI Notified(Please enclose an affidavit on Rs. 100/- non-judicial Stamp as per annexure-B ).
- 1.4. Laboratory should have all necessary instruments/equipment's and required mandatory facilities for testing/analysis of Raw Material and Packing Material as per statutory requirement for which it is participating in the Bid.
- 1.5. Attested copy of approval and GLP Certificate of laboratory, duly renewed up to date issued be the state licensing authority be submitted.

#### Rate Without Tax When Samples When Samples collected by Description of Work / Item(s) S.N. provided by bidder itself **RSGSM** at its from various own cost RC's of RSGSM Kesar Patti 2470.00 3100.00 1. Corrugated Box (all types) 850.00 1350.00 2. Bopp Tape 660.00 1150.00 3. Gum Paste Polymer based adhesive gum (for 4 1575.00 2250.00 pet bottles) Gum Paste Liquid gum (for glass bottles) 2250.00 1575.00 5. Labels (all types) 500.00 1000.00 6. Glass Nips and Bottle (all types) 650.00 1000.00 7. Pet Nips 650.00 1000.00 8. Ropp Seals (all types) 500.00 1000.00 9. Essence (Whisky, Rum, Vodka, Gin) 1000.00 500.00 10. Carmel Colour (Whisky, Rum) 2000.00 2900.00 11. ENA 1757.50 3350.00 12. Inner /Outer Box (all types) 750.00 1250.00 13. HDPE Jerry Can 712.50 1250.00 14. Flip Cap/Mist Spray/Pump Cap (all types) 715.50 1250.00 15. Hydrogen Peroxide 500.00 1000.00 16. **Country Liquor** 1662.50 2250.00 17. Rajasthan Made Liquor (Whisky, Rum, 18. 2042.50 2650.00 Vodka, Gin etc.) Heritage Liquor (Kesar Kasturi, Chandrhass, 19. 2042.50 2650.00 Royal Souf, Jagmohan, Mahuwa etc.) Guala Cap 20. 500.00 1000.00 Food Masala (छोटी / बडी ईलायची, मुलेठी, जायफल, 21. 2500.00 3500.00 सेव मुरब्बा, तेज पत्ता, जावित्री, चन्दनचुरा, इत्यादि) Glycerol 1000.00 2000.00 22. Alovera 2500.00 1500.00 23.

### 4. Last Bid approved rates:-

- 5. बोली प्रतिभूति राशिः उल्लेखित सामग्रियों के उपापन के आधार पर बिड की अनुमानित लागत / मूल्य राशि रूपये 12.50 लाख (जीएसटी सहित) रखा गया है तथा बिड की बोली प्रतिभूति राशि अनुमानित व्यय का 2 प्रतिशत राशि ₹25000/- जमा कराना आवश्यक होगा ।
- 6. Bid without Bid Fee of Rs. 2360/- and processing fee of Rs.500/- shall not be accepted.
- 7. The rate will be offered on the basis of rate contract provisions of RTPP ACT, 2012 and RTPP Rules, 2013.
- 8. If the rate contract holder quotes / reduces its price to render similar goods, works or services at a price lower than the rate contract price to anyone in the state at any time during the currency of the rate contract, the rate contract price shall be automatically reduced with effect from the date of reducing or quoting lower price, for all delivery of the subject matter of procurement under that rate contract and the rate contract shall be amended accordingly. The firms holding parallel rate contracts shall also be given opportunity to reduce their price by notifying them the reduced price giving them fifteen days' time to intimate their acceptance to the revised price. Similarly, if a parallel rate contract holding firm reduces its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firm does not agree to the reduced price, further transaction with it, shall not be conducted.
- 9. Cancellation: In case RSGSM does not require part or entire Bid, due to any reason, it may cancel the part or entire order during the period of contract and/or any extended period, for which no claim of the supplier shall be entertained.
- 10. No counter condition shall be accepted.
- 11. Bids with conditions other than that stipulated in the bid document is liable for rejection.
- 12. The rates quoted shall remain constant throughout the contract period.
- 13. Any increase or decrease in the prevailing government taxes, duties or levies shall be given as per the bid conditions.
- 14. All the columns of the schedule of rate are to be filled by the bidder.
- 15. Management reserves the right to reject the bid of empaneled laboratory whose report have been found unsatisfactory any time during the contract or bidders who have been debarred for any reason anytime during the contract.
- 16. Bidder should enclose certified copy of the entire required document as per checklist enclosed with bid form.
- 17. Period The period of rate contract shall be one year and it can be extended as per RTPP Act 2012 and Rules 2013.
- 18. Penalty: Penalty for unsatisfactory work against testing schedules shall be 10% of total value of testing schedules.
- 19. If any Laboratory fails to testing as per given testing schedule in consequent three months period without any satisfactory reason, then agreement could be terminated and his security amount will be forfeited with 18% GST.
- 20. Technical bid and financial bid shall be uploaded separately.
- 21. Financial evaluation: In evaluation the rate of testing of individual item shall be taken individually (excluding GST) for determination of L1 (item wise).
- 22. More than one laboratory can be empaneled at L1 rates.
- 23. Execution of agreement The bidder shall execute the agreement on a non-judicial stamp paper value of Rs. 500/-.

- 24. The special terms & conditions shall prevail upon where ever the same are in contradiction with the general terms & conditions. In case of dispute regarding interpretation of any terms and conditions in the bid document, the same should be got clarified by the bidder before submitting the bid. At any stage of the bid decision of the management shall be final and binding on all the bidders. Any request for changing of any conditions/quoted price or inclusion of any document etc after submitting the bid document, unless called for by written or fax shall not be entertained.
- 25. A rate contract shall be entered, for price without a commitment for quantity, place and time of test subject matter of procurement, with the bidder of lowest priced bid or most advantageous bid.
- Please read carefully and comply: Annexure A: Compliance with the Code of Integrity and No. Conflict of Interest Annexure B: Declaration by Bidders regarding Qualifications Annexure C: Grievance Redressal during Procurement Process Annexure D: Additional Conditions of Contract
- 27. Technical bid shall be submitted with below mention documents: -
  - (a) Copy of bid document.

(b) DD of bid security, bid form fee and e-bid processing fee (Mentioned in the document).

- (c) Attested copy of documents mentioned in technical bid check list.
- 28. Bidders must have minimum as follows:
  - a) Average annual turnover ₹ 05.00 lacs in last three last FY's (i.e. 2020-21, 2021-22 and 2022-23) (Please enclose CA certificate).
  - b) Past Experience -2 Year in the same nature of business (Please enclose experience certificate).
- 29. If the bidder misrepresents or hide any facts, its bid/ performance security will be forfeited immediately.
- 30. Technical Evaluation: The bids will technically be evaluated first on the basis of documents and test result of sample submitted by bidder. Bidder will have to provide documents as per requirement of checklist (technical bid).
- 31. Bidder should offer their rates of lab tests for a minimum 50 % items in category 'A' and 'B' as mentioned in Annexure-K and also offer for at least 7 items out of 13 bid items mentioned in Annexure-L of this document otherwise bid shall not be considered and liable for rejection.
- 32. बिडर द्वारा BOQ में निम्नानुसार दो प्रकार की दरें भरी जानी है :--
  - (1) परीक्षण हेतु सैम्पल आरएसजीएसएम∕विभिन्न मदिरालयों द्वारा लैब को उपलब्ध करवाए जावें। (2) यदि लैब को मुख्यालय के आदेश पर विभिन्न मदिरालयों से स्वयं सैम्पल एकत्रित कर सैम्पल परीक्षण किया जावें।
- 33. लैब में परीक्षण हेतु सैम्पल आरएसजीएसएम / विभिन्न मदिरालयों द्वारा उपलब्ध करवाए जाएंगे अथवा मुख्यालय के आदेश पर लैब को विभिन्न मदिरालयों से स्वयं सैम्पल एकत्रित कर सैम्पल परीक्षण किया जावेगा। लैब द्वारा निर्धारित समयावधि के अन्तर्गत परीक्षण रिपार्ट संबंधित को हार्ड कॉपी तथा ई—मेल पर सॉफ्ट कॉपी में उपलब्ध करवानी होगी।
- 34. Bidder should have latest technology and instruments for lab testing as per guidelines of NABL and provide the details of technology and instruments used for testing various items.
- 35. Bidder should enclose list mentioning the time taken for issuing the final lab test report for the each item specified in Annexure K. Delay in submitting test report liquidity Damage(LD) clause will impose.

Page | 11

- 36. Final lab report should be sent on via e-mail to official of RSGSM i.e. GM, DGM P&S and concerned reduction center.
- 37. Specifications mentioned in Annexure-G may be changed as and when required and no extra cost / charges will be paid for it.
- 38. **Payment**: 100% payment of bills shall be released by H.O. Jaipur for lab reports made on receipt of verified bills from the reduction center along with test report in three copies.

### **GENERAL TERMS & CONDITIONS OF BID AND CONTRACT**

- The bidder shall have to carefully study and understand the conditions, specifications, size, make etc. of the goods to be supplied. If it has any doubt about the meaning of any term, condition or specifications etc. it should refer to officer in charge and get clarification. The decision of the company regarding interpretation of the conditions and specifications shall be final and binding on the bidders.
- 2. Bidders are hereby explicitly warned that individuals signing the bid must specify as follows :
  - a. Whether signing as "sole proprietor of the firm?"
  - b. Whether signing as registered active partner of the firm?
  - c. Whether signing for the firm on the basis of power of attorney?
  - d. In case of companies and registered firms, whether signing as secretary, manager, partner, director, etc. The authorized signatory shall will submit an authorization from the company to do so. A copy of any document under which such authority is given should be forwarded with the bid if a copy has not already been sent to the company.
- 3. Bidder, who is not registered under the GST act, where its business is located, may not be eligible for bid. The GST registration number should invariably be quoted.
- 4. If a bidder imposes conditions which are in addition to or in conflict with the conditions mentioned herein, its bid may be rejected.
- 5. Rates quoted must be inclusive of all charges and taxes except GST which shall be added at the prevailing rates. The rates quoted must be F.O.R. distillery/ warehouses of reduction centers.
- 6. The bidder shall not assign or sublet his contract or any part thereof to any other agency.
- 7. The bidder should sign and upload bid form at the end of each page as token of his acceptance of all the terms and conditions of the bid.
- 8. Bid security.
  - i. In case of open competitive bidding, two-stage bidding, rate contract, electronic reverse auction, bid security shall be 2% of the estimated value of subject matter of procurement put to bid. In case of small-scale industries of Rajasthan it shall be 0.5% of the quantity offered for supply and in case of sick industries, other than small scale industries, whose cases are pending with Board of Industrial and Financial Reconstruction; it shall be 1% of the value of bid. Concessional bid security may be taken from registered bidders as specified by the state government. Every bidder, if not exempted, participating in the procurement process shall be required to furnish the bid security as specified in the notice inviting bids.
  - ii. In lieu of bid security, a bid securing declaration shall be taken from departments' of the state Government and undertakings, corporations, autonomous bodies, registered societies, cooperative societies which are owned or controlled or managed by the state government and government undertakings of the central government.
  - iii. Bid security instrument or cash receipt of bid security shall necessarily accompany the sealed bid.
  - iv. Bid security of a bidder lying with the procuring entity in respect of other bids awaiting decision shall not be adjusted towards bid security for the fresh bids. The bid security

originally deposited may, however, be taken into consideration in case bids are re-invited.

- v. The bid security may be given in the form of cash by RTGS, banker's cheque or demand draft or bank guarantee, in specified format, of a scheduled bank. The bid security must remain valid for thirty days beyond the original or extended validity period of the bid.
- vi. Prior to presenting a submission, a bidder may request the procuring entity to confirm the acceptability of proposed issuer of a bid security or of a proposed confirmer, if required. The procuring entity shall respond promptly to such a request.
- vii. The bank guarantee presented as bid security shall be got confirmed from the concerned issuing bank. However, the confirmation of the acceptability of a proposed issuer or of any proposed confirmer does not preclude the procuring entity from rejecting the bid security on the ground that the issuer or the confirmer, as the case may be, has become insolvent or has otherwise ceased to be creditworthy.
- viii. The bid security of unsuccessful bidders shall be refunded soon after final acceptance of successful bid and signing of agreement and submitting performance security.
- ix. The bid security taken from a bidder shall be forfeited in the following cases, namely:
  - a. when the bidder withdraws or modifies its bid after opening of bids;
  - b. when the bidder does not execute the agreement, if any, after placement of supply / work order within the specified period;
  - c. when the bidder fails to commence the supply of the goods or service or execute work as per supply / work order within the time specified;
  - d. when the bidder does not deposit the performance security within specified period after the supply / work order is placed; and
  - e. if the bidder breaches any provision of code of integrity prescribed for bidders specified in the act and chapter VI of these rules.
- x. In case of the successful bidder, the amount of bid security may be adjusted in arriving at the amount of the performance security, or refunded if the successful bidder furnishes the full amount of performance security.
- xi. The procuring entity shall promptly return the bid security after the earliest of the following events, namely:
  - a. the expiry of validity of bid security;
  - b. the execution of agreement for procurement and performance security is furnished by the successful bidder;
  - c. the cancellation of the procurement process; or
  - d. the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

### 9. Performance security-

a) Performance security shall be solicited from all successful bidders except the department's of the state government and undertakings, corporations, autonomous bodies, registered societies, co-operative societies which are owned or controlled or managed by the state government and undertakings of the central government. However, a performance security declaration shall be taken from them. The state government may relax the provision of performance security in particular procurement or any class of procurement.

- b) The amount of performance security shall be **five percent**, or as may be specified in the bidding documents, of the amount of supply order in case of procurement of goods and services. In case of Small Scale Industries of Rajasthan it shall be one percent of the amount of quantity ordered for supply of goods and in case of sick industries, other than Small Scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR), it shall be two percent of the amount of supply order.
- c) Performance security more than Rs.10.00 lac shall be furnished in any one of the following forms
  - i) Bank draft or banker's cheque of a scheduled bank;
  - ii) Bank guarantee/s of a scheduled bankshall be got verified from the issuing bank. Other conditions regarding bank guarantee shall be same as mentioned in the rule 42 of RTPP Rules 2013 for bid security;
  - iii) Performance security deposit shall remain valid for a period of sixty days beyond the date of completion of contractual obligations of the bidder. This shall be returned after successful completion of the contract. In case non fulfillment of the contract, security amount so deposited can be forfeited in full or in part. Decision of the director in charge in this regard shall be final. No interest shall be paid on such deposit. Adjustment of balance of previous performance security against past bids, if any, will not be allowed.

### 10. Execution of agreement-

- a) A procurement contract shall come into force from the date on which the letter of acceptance or letter of intent is dispatched to the bidder.
- b) The successful bidder shall sign the procurement contract within a period specified in the bidding document or where the period is not specified in the bidding document then within fifteen days from the date on which the letter of acceptance or letter of intent is dispatched to the successful bidder.
- c) If the bidder, whose bid has been accepted, fails to sign a written procurement contract or fails to furnish the required performance security with in specified period, the procuring entity shall take action against the successful bidder as per the provisions of the act and these rules. The procuring entity may, in such case, cancel the procurement process or if it deems fit, offer for acceptance the rates of lowest or most advantageous bidder to the next lowest or most advantageous bidder, in accordance with the criteria and procedures set out in the bidding documents.
- d) The bidder shall be asked to execute the agreement on a non-judicial stamp of specified value 0.25% of the contract amount or value set forth in such contract.
- 11. Bid shall be valid
  - a. 90 days from the date of opening of technical bid.
  - b. Subsequent to acceptance of bid, the rate shall remain valid throughout the contract

period or for the period for which bids are invited whichever is higher.

- 12. Right to vary quantity- If the procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding documents due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the bidding documents.
- 13. If the rate contract holder, its affiliates and associates quotes / reduces its price to render similar goods, works or services at a price lower than the rate contract price to anyone in the state at any time during the currency of the rate contract, the rate contract price shall be automatically reduced with effect from the date of reducing or quoting lower price, for all delivery of the subject matter of procurement under that rate contract and the rate contract shall be amended accordingly. The firms holding parallel rate contracts shall also be given opportunity to reduce their price by notifying them the reduced price giving them fifteen days' time to intimate their acceptance to the revised price. Similarly, if a parallel rate contract holding firm reduces its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firm for corresponding reduction in their prices. If any rate contract holding firm does not agree to the reduced price, further transaction with it, shall not be conducted.
- 14. The bids should be submitted along with samples, if required.

### 15. Liquidated Damages:

- (i) If the contractor fails to execute the order/contract within the period specified in the bid, and if such failure have arisen from, any unforeseen cause such as strike, fire, accident, any natural calamity resulting in stoppage of work in the factory, of the manufacturer or similar reasons which the Director In charge of RSGSM Ltd. may feel valid for an extension of the time, may extend the period without charging any liquidated damages. His decision shall be final regarding the sufficiency or otherwise for extension of time.
- (ii) If the bidder fails to execute the order within the period specified in the bid, the Director In charge of RSGSM Ltd may at his discretion may allow extension of time subject to recovery from the bidder as liquidated damages with 18% GST and not by way of penalty, a sum equal to the following percentage of the value of goods which the bidder has failed to supply for the period of delay as stated below:
  - a) Delay up to one fourth period of the prescribed delivery period 2.5% + 18% GST
  - b) Delay exceeding one fourth but not exceeding half of prescribed delivery period 5% + 18% GST
  - c) Delay exceeding half but not exceeding three fourth of the prescribed delivery period -7.5% + 18% GST
  - d) Delay exceeding three fourth but not exceeds the period equal to the prescribed delivery period -10% + 18% GST

Notes :

- i. Fraction of a day in reckoning the period of delay in supply shall be eliminated if it is less than half a day.
- ii. The maximum amount of liquidated damages shall be 10%.
- iii. When the successful bidder is unable to complete the order/contract within the specified or extended period, the company shall be entitled to accept supply from the open market without giving any notice to the bidder but at his risk and cost i.e. bidder's account and risk the goods or any part thereof which the bidder has failed to supply or if not available the best and nearest available substitute thereof or to cancel the contract and the bidder shall be liable for any loss or damage which the company sustained by reason of such failure on the part of the bidder. But the bidder shall not be entitled to any gain on such purchase made against default. The recovery of such damage shall be made from any sum accruing to the bidder under this or any other contract with the company. If recovery is not possible from the bills and the bidder fails to pay the loss or damage within one month, the recovery shall be made under any law for the time being in force or from any other bills outstanding with the company.
- iv. If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- v. Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hindrances beyond the control of the bidder.
- 16. In the event of breach of the contract at any time on the part of the contractor/ supplier, the contract may be terminated summarily by the Director In charge of the company with such conditions as may be deemed fit.
- 17. All legal proceedings, arising out of this contract shall be subject to the jurisdiction of the courts situated at Jaipur city only.
- 18. If the bidder resiles from his offer or offers new terms after opening of the bid, its bid security is liable to be forfeited with 18% GST.
- 19. **Procuring entity's right to accept or reject any or all bids** The procuring entity reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the bidders. Reasons for doing so shall be recorded in writing.
- 20. The bidder shall be responsible for the proper packing of sample so as to avoid damages under normal conditions of transport by road, sea, rail or air and delivery of the sample in good conditions to the consignee at destination.
- 21. It is of the opinion that it is essential to evaluate the technical aspects of a bid before considering its financial aspect, call for bids in two envelopes, namely: -
  - (i) the techno-commercial bid containing the technical, quality and performance aspects, commercial terms and conditions; and
  - (ii) the financial bid containing financial aspects including the price.
- 22. In case the procuring entity calls for bids in terms of clause (b) of sub-section (1), the techno-commercial bid shall be opened and evaluated first and the financial bid of

only those bids which have been found technically acceptable, shall be opened and evaluated.

### Annexure A : Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### **Conflict of Interest:-**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:

- a. have controlling partners/ shareholders in common; or
- b. receive or have received any direct or indirect subsidy from any of them; or
- c. have the same legal representative for purposes of the Bid; or
- d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. the Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Doc1

### Annexure B : Declaration by the Bidder regarding Qualifications

#### **Declaration by the Bidder**

In relation to my/our Bid submitted to ..... for procurement of ..... for procurement of Dated...... I/we hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

- 1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
- 3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date: Place: Signature of bidder Name : Designation: Address:

Doc1

### Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is \_\_\_\_\_\_ The designation and address of the Second Appellate Authority is \_\_\_\_\_\_ (1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

#### (4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of a procurement process;
- (e) applicability of the provisions of confidentiality.

#### (5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

Doc1

- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.
- (6) Fee for filing appeal
- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

#### (7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
  - (i) hear all the parties to appeal present before him; and
  - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Docl

FORM N [See rule Memorandum of Appeal under the Rajasthan Transparency in Public Procurem Act, 2012	83]
Appeal Noof	
Before the	
<ol> <li>Particulars of appellant:</li> <li>(i) Name of the appellant:</li> </ol>	
(ii) Official address, if any:	
(iii) Residential address:	
2. Name and address of the respondent(s):	
(i) (ii)	
(iii)	
3. Number and date of the order appealed against	
and name and designation of the officer / authority	
who passed the order (enclose copy), or a	
statement of a decision, action or omission of	
the Procuring Entity in contravention to the provisions	
of the Act by which the appellant is aggrieved: 4. If the Appellant proposes to be represented	
by a representative, the name and postal address	
of the representative:	
5. Number of affidavits and documents enclosed with the appeal:	
6. Grounds of appeal.	
(Supported by	
affidavit)	an
7. Pray	
•••••••••••••••••••••••••••••••••••••••	
	• - •
Place	
Date	
Appellant's Signature	

Docl

#### Annexure D

#### **Additional Conditions of Contract**

#### 1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

#### 2. Procuring Entity's Right to Vary Quantities

- If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- ii. In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.
- 3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods): Dividing quantities among more than one bidder at the time of award- As a general rule all the quantities of the subject matter of procurement shall be procured from the bidder, whose bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the bidder, whose bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the bidder, whose bid is accepted and the second lowest bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the bidder, whose bid is accepted if such condition is specified in the bidding documents. Counter offer to first lowest bidder (L1), in order to arrive at an acceptable price, shall amount to negotiation. However, any counter offer thereafter to second lowest bidder (L2), third lowest bidder (L3) etc., (at the rates accepted by L1) in case of splitting of quantities, as pre- disclosed in the bidding documents, shall not be deemed to be a negotiation.

### List of reduction center

### Annexure -E

S. No	Name of reduction center
1.	Jhotwara (Jaipur)
2.	Sikar
3.	Jhunjhunu
4.	Ajmer
5.	Bhilwara
6.	Udaipur
7.	Mandore (Jodhpur)
8.	Sirohi
9.	Bharatpur
10.	Sawaimadhopur
11.	Alwar
12.	Dholpur
13.	Kota
14.	Bundicity
15.	Baran
16.	Hanumangarh
17.	Khara, (Bikaner)

Annexure 'F'

#### **Technical Bid Submission Sheet**

To, The DGM Purchase RSGSM Ltd. Jaipur

We, the undersigned, declare that:

- a. We have examined and have no reservations to the bidding document. We offer to supply in conformity with the bidding document and in accordance with the supply schedule given from time to time for supply of subject matter of procurement.
- b. Our bid shall be valid for a period of 90 days from the date fixed for the bid submission deadline in accordance with the bidding document, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- c. If our bid is accepted, we commit to obtain a performance security deposit in the amount of 5% of the contract price or performance security deposit declaration for the due performance of the contract.
- d. Our firm, for any part of the contract, have nationalities from the eligible countries
- e. We are not participating, as bidders, in more than one bid in this bidding process, in the bidding document.
- f. Our firm, its affiliates or subsidiaries, including any subcontractors or suppliers has not been debarred by the state government or the procuring entity.
- g. We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- h. We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive;
- i. We agree to permit the procuring entity or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by the procuring entity.
- j. We declare that we have complied with and shall continue to comply with the provisions of the Code of Integrity for Bidders as specified in the Rajasthan Transparency in Public Procurement Act, 2012, the Rajasthan Transparency in Public Procurement Rules, 2013 and this Bidding Document in this procurement process and in execution of the Contract;

Name/ address: \_\_\_\_\_

In the capacity of : \_\_\_\_\_

Signed : \_\_\_\_\_

Duly authorized to sign the bid for and on behalf of \_\_\_\_\_

Date\_\_\_\_\_

Tel:	Fax:	e-mail:	

### Annexure 'G'

#### List of Specifications

### 1- Kesar Patti:-

Saffron Mongra conforming to specification as per Food Safety and Standards Authority Of India (FSSAI), Standards for KESAR PATTI (FSSR 2.9.17.1) and confirming to the standard of purity under prevention of Food Adulteration Act, 1954 and its rules, 1955, amended from time to time. The details of specifications are as below :

FSSAI STANDAND FOR KESAR PATTI				
S.N.	Parameter	FSSR 2.9.17.1	Test Method	
1	Moisture, % by wt.	Max: 12.0	IS: 5453 (Part-2):1996	
2	Total ash, % by wt. (On dry basis)	Max: 8.0	IS : 5453 (Part-2) :1996	
3	Acid insoluble ash, % by wt. (On dry basis)	Max: 1.5	IS : 5453 (Part-2) :1996	
4	Crude fibre, % by wt. (On dry basis)	Max: 6.0		
5	Total Nitrogen, % by wt. (On dry basis)	Max: 2.0	IS : 1797- 1985 IS : 5453 (Part-2) : 1996	
6	Bitterness, % wt. (On dry basis)	Min: 30.0		
7	Saffranol, Absorbance, % wt. (On dry basis)	Min: 20.0 Max: 50.0		
8	Colouring strength, % by wt. (On dry basis)	Min: 80.0		
9	Solubility in cold water, % by wt. (On dry basis)	Max: 65.0	IS : 1797-1985	
10	Test for Added Synthatic colour in ppm	Not allowed	J. Food Techonology 1966 : 1,63-72	
11	Extraneous matter, % by wt.	Max: 1.0	IS: 5453 (Part-2): 1996	
12	Floral waste, % by wt.	Max: 10.0	15 . 5+55 (1 att-2) . 1990	

### 2- Corrugated Boxes (Cartons): -

1.1 Corrugated Boxes for RML (Whisky/Rum) 180 ml New Glass Nips

1	Ply	03 Ply
2	Size LxWxH (mm)	440x340x160
3	Plate size LxW (mm)	430x330
4	Weight of Cartoon with Plate GMS	342 gms
	(Min)	
5	Bursting Strength kg/cm <sup>2</sup>	4.2 to 4.6
6	GSM (mm)	16 BFX120 GSM
	Top layer x Flute layer x bottem	16 BFX120 GSM
	layer	16 BFX120 GSM

8	Jaligsm	100 GSM
		100 GSM
		100GSM
7	Printing & Design	As per required by RSGSM

### 1.2 Corrugated Boxes for RML (Gin/Vodka) 180 ml New Glass Nips

1		
1	Ply	03 Ply
2	Size LxWxH (mm)	410x310x166
3	Plate size LxW (mm)	400x300
4	weight of Cartoon with Plate GMS	305 gms
	(Min)	
5	Bursting Strength kg/cm <sup>2</sup>	4.2 to 4.6
6	GSM (mm)	16 BFX120 GSM
	Top layer x Flute layer x bottem	16 BFX120 GSM
	layer	16 BFX120 GSM
7	Jali Size (mm)	410x 127 (5pcs) & 310x 127
		(7pcs)
8	Jaligsm	100 GSM
		100 GSM
		100GSM
8	Printing & Design	As per required by rsgsm
100		

1.3 Corrugated Boxes for RML (Whisky/Rum) 750 ml New Glass Bottle

1	Ply	05 Ply
2	Size LxWxH (mm)	325x245x280
3	Weight of carton (Min)	485 gms
4	Bursting Strength kg/cm <sup>2</sup>	7.5
5	GSM (mm)	16 BFX150 GSM
	Top layer x Middle layer x	16 BFX150 GSM
	Liner layer x Middle layer	16 BFX150 GSM
	x bottem layer	16 BFX150 GSM
		16 BFX150 GSM
6	Jali Size (mm)	325x 160 (3pcs) & 245x 160 (2pcs)
7	Jali GSM	120 GSM
		120 GSM
		120GSM
8	Printing & Design	As per required by RSGSM

#### 1.4 Corrugated Boxes for RML (Gin/Vodka) 750 ml New Glass Bottle

1	Ply	05 Ply
2	Size LxWxH (mm)	295x225x305
3	Weight of carton (Min)	430 gms
4	Bursting Strength kg/cm <sup>2</sup>	7.5
5	GSM (mm)	16 BFX150 GSM
	Top layer x Middle layer x	16 BFX150 GSM
	Liner layer x Middle layer	16 BFX150 GSM
	x bottem layer	16 BFX150 GSM
		16 BFX150 GSM
6	Jali Size (mm)	295x 200 (3pcs) & 225x 200 (2pcs)

7	Jaligsm	120 GSM
		120 GSM
		120GSM
8	Printing & design	As per required by rsgsm

1.5 Corrugated Boxes for RML (Whisky/Rum) 180 ml Old Glass Nips Corrugated Boxes required to pack 48 pieces in one box will be required with the following details: -

- a) Size: 440 mm X 340 mm X 160 mm (L x W x H)
- b) Bottom Plate (L X W) : 430 mm X 330 mm
- c) Weight of carton including single bottom plate: 342 gms
- d) Bursting Strength: Minimum 4.2 to 4.6 Kg./sq. cm

e) The boxes should be made of 3 ply of minimum 120 x 100 x 100 GSM (upper x middle x internal) (Total GSM 360) each by using semi kraft paper.

f) 3 ply supporter jail paper 3 papers- 100 GSM each, size-17.5 x 5 inch (5 pieces) 13 x 5 inch (7 pieces)

Note: The box will be printed in single colour on 03 sides as per design and colour to be informed by RSGSML to the successful bidder, one side should be blank.

1.6 Corrugated Boxes for RML (Gin/Vodka) 180 ml Old Glass Nips

Corrugated Boxes required to pack 48 pieces in one box will be required with the following details: -

- a) Size: 440 mm X 340 mm X 160 mm (L x W x H)
- b) Bottom Plate (L X W) : 430 mm X 330 mm
- c) Weight of carton including single bottom plate: 342 gms
- d) Bursting Strength: Minimum 4.2 to 4.6 Kg./sq. cm

e) The boxes should be made of 3 ply of minimum 120 x 100 x 100 GSM (upper x middle x internal) (Total GSM 360) each by using semi kraft paper.

f) 3 ply supporter jail paper 3 papers- 100 GSM each, size-17.5 x 5 inch (5 pieces) 13 x 5 inch (7 pieces)

Note: The box will be printed in single colour on 03 sides as per design and colour to be informed by RSGSML to the successful bidder, one side should be blank.

### **3.** BOPP TAPE:-

a)	Thickness of film	:	23 Micro <u>+</u> 1
b)	Thickness of Adhesive	:	18 Micron <u>+</u> 1
c)	Total Thickness	:	41 <u>+</u> 2 Micron

d)	Elongation	:	75- 100%
e)	Adhesive Material	:	Water Acyclic
f)	Width	:	48 mm
g)	Length	•	130 meters length each roll brown colour with printed name of RSGSM Ltd., in Red Colour and Font size as approved by RSGSM, with Logo

### 4- Gum paste:-

#### i. Specifications of polymer gum for automatic wet glue machine: -

		-
SN	Parameter/Test	Specification
a)	Type of Gum	Polymer Based Adhesive
		Natural and synthetic polymers based
b)	Appearance	Milky White
c)	TYPICAL	Min. 42% (± 2)
	Solids	
d)	Coverage	22-24 sq. meter per gms
e)	Ph Value 6.0 to 7.00	
f)	Skid free time 60 sec.	
g)	Indicative	150000 to 160000 Cps
	Viscosity	(25 degree C spindle no 7 at 20RPM)
	(Lps)	
h)	Total skid	60 minute after fixing
	time	
i)	Stability @ 37	There shall be no fungus growth the
	degree C	separation of sedimentation after 14 days

### ii. Specifications of liquid gum for pet bottles (polymer based adhesive gum): -

SN	Parameter/Test	Specification	
a)	Type of Gum	Polymer Based Adhesive	
b)	Colour	Milky White	
c)	Bottle Type	Suitable for pet bottle	
	(Glass/Pet)		
d)	Machine application	Gummer Machine / Hand Gumming	
e)	Bottle speed / min	NA	
f)	Storage container	50 kg sealed, airtight HDPE containers	
g)	Shelf-life in months	6 months	
h)	Ph	6.5 ± 1	
i)	Viscosity(cps) at	8000 (± 1000)	
	25c°		
j)	Drying Time	1 minute (Immediate skid free label, on	
		application)	
k)	% Solid Content	24% (± 5%)	
I)	Special character	Quick drying, High tack adhesive, doesn't	
		corrodes the label	
m)	Film formation	Thin, Continuous, Tacky, Uniform layer on	

		application.				
iii. Specifications of liquid gum for glass bottles: -						
Sn	Characteristics	Requirement			Methods of test	
		Туре А	Туре В	Туре С		
I)	Total soli percent by mass, min	30	20	10	A-1	
II)	Ph value	4.0 to 6.0	5.0 to 7.0	5.0 to 7.0	A-2	
III)	Adhesive strength	To pass the test	To pass the test	To pass the test	A-3	
IV)	Brittleness and moisture absorption of the dried	To pass the test	To pass the test	To pass the test	A-4	
V)	Stability at 37° C	To pass the test	To pass the test	To pass the test	A-5	
VI)	Consistency at 27 + 2 c (by ford cup viscometer no. 4)	4 to 6 minutes	4 to 6 minutes	4 to 6 minutes		

#### Specifications of polymer gum paste for pet bottles : iv.

SN	Parameter/Test	Specification
1.	Type of Gum	Polymer Based Adhesive
2.	Colour	Milky White
3.	Ph Value	6.5 <u>+</u> 1
4.	Viscosity (cps) at 25 <sup>o</sup> C	Minimum 9000
5.	Drying Times	One Minute (Immediate Skid free label on application)
6.	Total skid time	60 minute
7.	Solids Content	28% (Min.)
8.	Film Formation	Thin, Continuous Tricky, Uniform Layer on application
9.	Stability test @ 37 degree C	No fungus /Becterial growth after 14 days
10.	Mode of packaging	50 Kg sealed, airtight HDPE Drum

#### 5- Labels:

#### A) Wet glue-based labels for RML 180 ml

- i) Size: 50x85 mm for whisky rvm & 40x90 mm for GIN, Vodka
- ii) Chromo paper (anti curting)
- iii) 80 gsm
- iv) Multicolour printing

#### B) Sticker based (in roll form) labels for RML 180 ml

- Size: 50x85 mm for whisky rvm & 40x90 mm for GIN, Vodka i)
- ii) Facestock – A smooth white, one side machine coated semi gloss paper exhibiting good printability and converting **Properties-**Basis weight: 65 gsm ± 5 Caliper/thickness: 53µm ± 5

Adhesive: permanent rubber based adhesive (hot-melt). Must have min 30% biobased component derived from renewable sources (a certificate to be provided by supplier along with its supply).

Basis weight: 14.5 gsm ± 10%

Linear: A supercalendered glassine paper.

Basis weight: 50 gsm ± 4

Caliper/ thickness  $46\mu m \pm 4$ 

Total caliper/ thickness: 112µm ± 8

- iii) Facetop 75 GSM ± 10%
- iv) Release paper 60 GSM ± 10%
- v) Adhesive 14 GSM ± 10%

### Note:

- a) Wet glue-based Labels shall be printed in various designs with multicolored printing (as per design). without varnish for coding device.
- b) Brand name will be "Royal Whisky/ Royal Rum/ Royal Vodka or other" as the case may be and it can also be changed as and when required.
- c) Design may be changed as and when required and no extra cost / charges will be paid for it.

### A) Self-adhesive label non-roll form (RML 750 ml):

- i) Size : 110 mm x 80 mm
- ii) Facestock A smooth white, one side machine coated semi gloss paper exhibiting good printability and converting

**Properties-**

Basis weight: 65 gsm ± 5

Caliper/thickness: 53µm ± 5

Adhesive: permanent rubber based adhesive (hot-melt). Must have min 30% biobased component derived from renewable sources (a certificate to be provided by supplier along with its supply).

Basis weight: 14.5 gsm ± 10%

Linear: A supercalendered glassine paper.

Basis weight: 50 gsm ± 4

Caliper/ thickness  $46\mu m \pm 4$ 

Total caliper/ thickness: 112µm ± 8

- Label GSM:85 ± 10 % (Exclusive of adhesive)
- iv) Adhesive : 16 GSM ± 10 %
- v) Linear/Release Paper : 70 GSM ± 10 %
- vi) Multicolor printing with full UV as per design. Without varnish for coding device.
- vii) Printing: 4 Color printing with special metallic.
- viii) Brand name will be "Royal Whisky/ Royal Rum/ Royal Vodka or other" as the case may be and it can also be changed as and when required.
- ix) Design may be changed as and when required and no extra cost / charges will be paid for it.

#### B) sanitizer labels:-

iii)

SN	Type of label	Paper	Length size	Width size
1	Self-adhesive label 180 ml	Chromo art	68 mm	46.50 mm
2	Self-adhesive label 750 ml	Chromo art	100 mm	60 mm
3	Self-adhesive label 5000 ml	Chromo art	155 mm	105 mm

4	Self-adhesive label 2000 ml	Chromo art	100 mm	90 mm
5 Self-adhesive label 100 ml		Chromo art	80 mm	46 mm
6	Self-adhesive label 200 ml	Chromo art	94.81 mm	46 mm
7	Self-adhesive label 500 ml	Chromo art	129.78 mm	62.5 mm
8	Self-adhesive label 2000 ml U shape	Chromo art	95 mm	60 mm

### 6- Glass Nips and Glass Bottle:-

I. Specifications for glass nips and bottles for country liquor: -

Bottle size	180 ml glass nips	
Brimful capacity (ML)	As per drawing at page no. 38 (for fulfillment of 180 ml C.L.	
	in the glass bottles on filling machine) $188 \pm 3.5$ ml	
Weight	$105 \pm 8 \text{ gram}$	
Height (MM)	$130 \pm 1.5$	
Shape	As per drawing at <b>annexure J</b>	
Size (Dimension)	As per drawing at <b>annexure J</b>	
Neck Size	25 mm ROPP	
Volume	180 ml	
Bottle size	750 ml glass bottles	
Brimful capacity (ML)	As per drawing at page no. 39 (for fulfillment of 750 ml C.L.	
	in the glass bottles on filling machine) 767 $\pm$ 7 ml	
Weight	310 ± 15 gram	
Height (MM)	$258 \pm 2$	
Shape	As per drawing at <b>annexure K</b>	
Size (Dimension)	As per drawing at <b>annexure K</b>	
Neck Size	28 mm ROPP	
Volume	750 ml	

a. **Annealing:** - The bottles should not contain strains more than the standard recommended in IS: 1662-1974 and as amended from time to time.

- b. Limit of alkalinity: As recommended in IS: 1662-1974 and as amended from time to time.
- c. **Thermal shock resistance:** As recommended in IS: 1662-1974 and as amended from time to time.
- d. Marking: -

i) The glass liquor bottles shall be embossed C. L. Rajasthan & RSGSM.

- ii) Registration of glass bottle (750 ml) and glass nips (180 ml) design is under process of approval vide application no. 312804-001 & 002 dated 05-12-2018 CBR no. 21056 with Office of Controller General of Patents Designs and Trademarks.
- II. Specifications for glass nips and bottles for Rajasthan Made Liquor:
  - i) For Rajasthan Made Liquor 180 ml:

For Kajastian Wade Liquor 100 nn.			
Specifications for New Glass Nips 180 ml (Whisky & Rum): -			
(a) Design, specification, dimension are enclosed at <b><u>annexure</u> "<u>L</u></b> ".			
(b)Glass weight of the nips is $140 \pm 10$ grams.			
(c) Brimful capacity (ML) - $192 \pm 4$ ML			
(d)Colour: Flint			
(e) Finish 25 mm R.S.P.P. STD			
(f) Surface treatment No			
(g)Please refer annexure " $\underline{L}$ " for details of design specification and			
dimensions.			
Specifications for New Glass Nips 180 ml (Gin & Vodka): -			
(a) Bottle size: 180 ml			
(b)Volume (nominal capacity) ml: 180 ml			
(c) Brimful capacity ml: $192 \pm 4$ ML			
(d)Weight (GMS): <b>140 ± 10 grams.</b>			
(e) Shape: Round/ As per drawing/ as per sample			
(f) Size (mm) height*diameter: 158*50 mm			
(g)Tolerance: $\pm 2.0, \pm 1.5 \text{ mm}$			
(h)Neck size: 25 mm x 29 mm RSPP Std.			
Please refer annexure $''\underline{M}''$ for details of design specification and			
dimensions.			


### ii) For Rajasthan Made Liquor 750 ML

Specification For Glass Bottles 750 ml (Whisky & Rum):					
S.No.	Particulars	Norms			
1.	Bottle Size	750ml			
2.	Nominal Capacity	750ml			
3.	Brimful Capacity	767 <u>+</u> 7ml			
4.	Size (Height*Diameter) mm	300 x 71mm			
	Tolerance	<u>+</u> 2.0* <u>+</u> 1.5 MM			
5.	Weights (gm.)	405 <u>+</u> 15gm			
6.	Neck Finish (mm)	29 mm			
7.	Design	As Per Sample			
Detailed design specification and dimensions As Per Annexure " N"					
Specification For Glass Bottles 750 ml (Vodka & Gin):					
Bottle size : 750 ml glass bottle					
Volume (nominal capacity) ml: 750 ml					
Brimful capacity: 767 ± 7 ml					


- Weight (GMS): 405.00 gms ± 15 gms
- Shape: round/ as per drawing/ as per sample
- Size (mm) height\*diameter: 300\*71 mm

- Tolerance: ±2.0, ± 1.5 mm
- Neck size: 29 mm ROPP aluminum
- Detailed Specification, design specification and dimensions as Per Annexure " O "
- **4.1 Annealing :-** The bottles should not contain strains more than the standard recommended in IS: 1662-1974 as amended time to time.
- **4.2** <u>Limit of Alkalinity:-</u> As recommended in IS: 1662-1974 as amended time to time.
- **4.3** <u>Thermal Shock Resistance:</u> As recommended in IS: 1662-1974 as amended time to time.
- 4.4 Marking: The glass liquor bottles shall be embossed RML & RSGSM.


Annexure- J




Annexure-K




#### Annexure: L




### Annexure: M



#### Annexure: N





#### 8. Specifications for glass bottles for Royal Heritage : -

- 1) Royal Gulab, Saunf, Elaichi:
  - i) Bottle Size : 750ml
    - Brimful : 770ml
  - iii) Weight : 477gms <u>+</u> 10 gms
  - iv) Shape : as per drawing
  - v) Design : as per drawing
    - Neck Size : as per drawing for 59 mm gwala cap
  - vii) Detailed Specification as Per Annexure "J "

#### 2) Royal Kesar Kasturi:


ii)

vi)


vi)

- i) Bottle Size : 750ml
- ii) Brimful : 766ml
- iii) Weight : 483gms <u>+</u> 10 gms
- iv) Shape : As per drawing
- v) Design : as per drawing
  - Neck Size : as per drawing for 59 mm gwala cap
- vii) Height X Major Dia : 244X76.5mm
- viii) Detailed Specification as Per Annexure "K"
- 3) Other parameters for above :
  - i) The bottles seal must be OK
  - ii) The quality of glass be fine and transparent

#### Annexure-J



Annexure-K




#### 9. Pet Nips:-

#### I. Specifications for Pet Nips (CL): -

١.	Nip Size	180 ML Nips		
١١.	Nominal Capacity	180 ml		
III.	Brimful Capacity (ml) $192 \text{ ml} \pm 3 \text{ ml}$			
IV.	Weight(GM) minimum	Two- stage :10.5 Gram (Minimum)		
۷.	Shape	Oval Shape (as per drawing)		
VI.	Size (Dimension)	<b>Two- stage :</b> 128.50 mm x 62.00 mm x 42.50 mm		
VII.	Tolerance in size	<u>+</u> 1.0mm <u>+</u> 0.5mm <u>+</u> 0.5mm (As per IS 14537:1998)		
VIII.	Topload	11 KG		
IX.	Neck Size	25 mm ROPP (standard as per BIS)		
Х.	Drop Test	2 Meter		
XI.	Ribs	6 ribs on all sides as in sample.		
XII.	Embossing	CL RAJASTHAN 180 ML RSGSM & Name/Logo of manufacturer		

(a) **<u>Raw material :-</u>** Virgin 'A' grade (Food grade) PET Resin.

- (b) <u>Certificates required :-</u> ITRC for Toxic effect with alcohol.
- (c) **Embossed:-** In the bottom of every PET Nip "**RSGSM**" and "**CL-RAJASTHAN**" should be embossed.
- (d) Bidder shall have to submit certificate confirming the quality of pet nips as per BIS Specifications 14537: 1998.
- (e) Pet Nips should be clear, colorless and transparent.
- (f) It will also be mandatory to emboss name of supplier firm at the bottom of each bottle/nip.
- (g) If emboss is not found than 2.5% of that particular consignment +18% GST will be charged thereon.



### II. Specifications for Pet Nips (RML): -

#### a) Specifications for Single-Stage Pet Nips 180 ml (Whisky and Rum) "Annexure K": -

SN	Particulars	Norms
I.	Bottle Size	180 ML Nips
Ш.	Volume (Nominal Capacity)	180 ml
III.	Brimful Capacity	As per drawing $192 \pm 3$ ml
IV.	Weight(GMS)	14.00 gms (Min.)
V.	Shape/Design	As per drawing
VI.	Size (mm)	<u>Height x Dia x Bottom Dia</u>
		154 x 47.50 x 50.50 mm
VII.	Tolerance	+- 1.0mm
VIII.	Neck Size	25mm ROPP
IX.	Embossing	As per drawing
Х.	Top Load	11 kg
XI.	Drop Test	2 mtr.


<u> </u>	) Specifications for Single-Stage Fet Tips for in (Vouka and Gin) Annexure L				
SN	Particulars	Norms			
Ι.	Bottle Size	180 ML Nips			
١١.	Volume (Nominal Capacity)	180 ml			
III.	Brimful Capacity	As per drawing $192 \pm 3$ ml			
IV.	Weight(GMS)	14.00 gms (Min.)			
۷.	Shape/Design	As per drawing			
VI.	Size (mm) Height x Dia				
		160 x 44.50 mm			
VII.	Tolerance	+- 1.0mm			
VIII.	Neck Size	25mm x 29mm ROPP			
IX.	Embossing	As per drawing			
Χ.	Top Load	11 kg			
XI.	Drop Test	2 mtr.			

b) Specifications for Single-Stage Pet Nips 180 ml (Vodka and Gin) "Annexure L": -


c) Other notes

- a) **<u>Raw material :-</u>** Virgin 'A' grade (Food grade) PET chips/ Resin.
- b) <u>**Certificates required :-**</u> ITRC for Toxic effect with alcohol.
- c) **Embossed:-** In the bottom of every PET Nip "**RSGSM**" and "**RML-RAJASTHAN**" should be embossed. Successful single – stage bidder should embossed "Stage One" just below the neck of every PET Nips (on both sides).
- d) Bidder shall have to submit an affidavit confirming the quality of pet nips as per IS Specifications 14537: 1998.
- e) Pet Nips should be clear, colorless and transparent.
- f) It will also be mandatory to emboss name of supplier firm at the bottom of each bottle/nip.
- g) If emboss is not found than 2.5% of that particular consignment +18% GST will be charged thereon.

#### Annexure "K"



#### Annexure "L"



#### 10. Specifications for ROPP SEALS 25 MM & 28 MM FOR CL: -

- 1.
- a) ROPP Seals should be made up of aluminium sheet in single colour (black, Navy blue/Red or any other colour) as per requirement. Aluminium Sheet should be internally lacquered. "*Rajasthan State Ganganagar Sugar Mills Ltd*" should be printed on the top of the seal. Name of the manufacturing firm should be printed on the external side of the seal.
- b) <u>Material, Size and Weight:</u> The ROPP Seal should be uniformly made from aluminium sheet in such a manner that the circular shape of the seal remains intact till used & should be able to sustain transit and storage handling.
  - i) The neck size of the seal should be 28 mm and 25 mm.
  - ii) The aluminium sheet thickness for 28 mm and 25 mm shall be minimum 0.15 mm (on the basis of average of 10 seals).
  - iii) The average weight of the 10 seal for 28 mm shall be 9.00 gms (± 0.20 gm) (without EPE liner) and that of 25 mm shall be 7.00 gms (without EPE liner)
  - iv) Perforation in each cap should be uniform.

#### c) Lacquer & Liner:

The seals shall be appropriately lacquered as required and the supplier shall ensure that the grade of the lacquer used is nontoxic and food grade. Both internal and external finishes shall withstand any special washing and/or sterilisation process that the RSGSM may be following: -

The Expended Polyethylene liner shall be of minimum 1.3 mm thickness for 28 mm and 25 mm neck caps and the grade used shall be nontoxic and food grade. The supplier shall have to furnish a Certificate that the grade of the lacquer and the liner used is non toxic and food grade with each consignment without which the bills shall not be cleared for payment.

- d) **Opening Torque:** Torque value for 25 mm must be maximum 125 Ncm and for 28 mm it must be maximum 140 Ncm.
- 2. The supplier shall have to ensure the supply of proper quality of ROPP Caps of required specifications with regard to weight, thickness of Aluminum sheet/ EPE liner etc. In case of variation in the specifications of the seals supplied, deductions from the respective bills shall be made in following manner:-

#### i) Variation in minimum thickness of Aluminum sheet :-

- a) In case of variation upto 2.5% on lower side deduction @10% shall be made.
- b) In case of Variation more than 2.5% on lower side the material shall be liable to be rejected.

#### ii) Variation in minimum weight of seals

- a) In case of variation upto 2.5% on lower side, deduction @ 10% shall be made.
- b) In case of Variation more than 2.5% on lower side the material shall be liable to be rejected.

#### NOTE :-

The thickness and weight of aluminum sheet are co-related, so deduction shall be made on one parameter only which is on higher side.

iii) <u>**Print:-**</u> The printing on the ROPP Seals should be absolutely clear.

In case of certain exigency, if the material of below specification is used with the permission of Director In charge shall have power to decide deduction on account of supply of substandard material.

### 3. MODE OF PACKING:

- i) 5000 pcs. of ROPP caps of 28 mm. in one carton and 7000 pcs. of ROPP caps of 25 mm. in one carton. The caps shall be properly counted and packed in polybags. This in turn, shall be packed in durable 5 ply carton, which can protect the caps from damages and transit hazards.
- ii) Each carton shall be marked with following information:
  - a) Manufacturer of ROPP Seals name and location:
  - b) ROPP size, top print details & destination:
  - c) Date and shift of production:
  - d) Checker / Operator name Carton no.
- iii) Each approved carton shall be closed with BOPP tapes on the bottom and top sides.

### 01. Specification of ROPP Seals 25 MM For RML:

- a) ROPP Seals should be made up of aluminium sheet in single colour (Golden/black/orange or any other colour) as per requirement. Aluminium Sheet should be internally lacquered. "*Rajasthan State Ganganagar Sugar Mills Ltd*" should be printed on the top of the seal. Name of the manufacturing firm should be printed on the external side of the seal.
- b) <u>Material, Size and Weight:</u> The ROPP Seal should be uniformly made from aluminium sheet in such a manner that the circular shape of the seal remains intact till used & should be able to sustain transit and storage handling.
  - i) The neck size of the seal should be 25 mm.
  - ii) The aluminium sheet thickness for 25 mm shall be minimum 0.18 mm .
  - iii) The average weight of the 10 seal for 25 mm shall be **8.50 gms** (without EPE liner)
  - iv) Perforation in each ROPP Seals must be uniform.

### c) Lacquer & Liner:

The seals shall be appropriately lacquered as required and the supplier shall ensure that the grade of the lacquer used is non toxic and food grade. Both internal and external finishes shall withstand any special washing and/or sterilization process that the RSGSM may be following:-

The Expended Polyethylene liner shall be of minimum **1.5 mm** thickness for 25 mm neck caps and the grade used shall be non toxic and food grade. The supplier shall have to furnish a Certificate that the grade of the lacquer and the liner used is non toxic and food grade with each consignment without which the bills shall not be cleared for payment.

- d) **Opening Torque:** Torque value for 25 mm must be maximum 125 Ncm.
- e) The supplier shall have to ensure the supply of proper quality of ROPP Caps of required specifications with regard to weight, thickness of Aluminum sheet/ EPE liner etc. In case of variation in the specifications of the seals supplied, deductions from the

respective bills shall be made in following manner:-

- i) Variation in minimum thickness of Aluminum sheet :
  - a) In case of variation upto 2.5% on lower side deduction @10% shall be made.
  - b) In case of Variation more than 2.5% on lower side the material shall be liable to be rejected.

### ii) Variation in minimum weight of seals

- a) In case of variation upto 2.5% on lower side, deduction @ 10% shall be made.
- b) In case of Variation more than 2.5% on lower side the material shall be liable to be rejected.

#### NOTE :-

The thickness and weight of aluminum sheet are co-related, so deduction shall be made on one parameter only which is on higher side.

iii) <u>**Print:-**</u> The printing on the ROPP Seals should be absolutely clear.

However, in case of certain exigency, if the material of below specification (beyond permissible limits) is used with the permission of Director In charge, purchase committee shall have power to decide deduction on account of supply of substandard material.

### f) MODE OF PACKING:

- i) 7000 pcs. of ROPP caps of 25 mm. in one carton. The caps shall be properly counted and packed in polybags. This in turn, shall be packed in durable **5 ply** carton, which can protect the caps from damages and transit hazards.
- ii) Each carton shall be marked with following information:
  - e) Manufacturer of ROPP Seals name and location:
  - f) ROPP size, top print details & destination:
  - g) Date and shift of production:
  - h) Checker / Operator name Carton no.
- iii) Each approved carton shall be closed with BOPP tapes on the bottom and top sides.

### 02. Specifications of ROPP seals 29 mm: -

- a) Size 29 mm X 35 mm
- b) Weight 2.10 gm without EPE linear
- c) No. of perforations 8 (Perforation must be uniform un each ROPP Seals)
- d) EPE linear thickness 1.50 mm
- e) Sheet thickness 0.20 mm
- f) Opening torque 140 Ncm
- g) Color Black for Whisky & Rum, Golden for Gin & Orange for Vodka
- h) Variation in minimum thickness of aluminum sheet :
  - a) In case of variation up to 2.5% on lower side deduction @10% shall be made.
  - b) In case of variation more than 2.5% on lower side, the material shall be liable to be rejected.

#### i) Variation in minimum weight of seals

- (i) In case of variation up to 2.5% on lower side, deduction @ 10% shall be made.
- (ii) In case of variation more than 2.5% on lower side, the material shall be liable to be rejected.

**NOTE:** - The thickness and weight of aluminum sheet are co-related, so deduction shall be made on one parameter only which is on higher side.

- a) The sample of each consignment shall be physically checked and verified at RC level regarding prescribed specification for weight, size, number of perforation and print quality. The sample shall be tested from the RSGSM, Jhotwara, Jaipur laboratory/ government authorized laboratory or any empanelled laboratory in RSGSM for all parameters as per specifications. The testing fee paid shall be borne by the company. However, in case of rejection due to article found sub-standard on testing, the testing fee so paid will be recovered from the supplier.
- b) Print: The printing on the ROPP seals should be absolutely clear. However, in case of certain exigency, if the material of below specification (beyond permissible limits) is used with the permission of Director In charge, purchase committee shall have power to decide deduction on account of supply of sub-standard material.
- c) Mode of packing:
  - i) 7000 pcs. of ROPP caps in one carton. The caps shall be properly counted and packed in polybags. This in turn, shall be packed in durable 5 ply carton, which can protect the caps from damages and transit hazards.
  - ii) Each carton shall be marked with following information:
    - i) Manufacturer of ROPP seal name and location:
    - j) ROPP size, top print details & destination:
    - k) Date and shift of production:
    - 1) Checker / operator name and carton no.
  - iii) Each approved carton shall be closed with BOPP tape on the bottom and top sides.

specifi	Secification for Essence-Flavour: -					
SN	Particulars	Specification		Remarks		
a)	Essence Whisky	Refractive index 20°c Relative density 20/20	1.40-1.43 0.998-1.0200	MacDowell's Range		
b)	Essence Rum	Refractive index 20°c Relative density	1.378-1.4350 0.98-1.040	Equivalent to Old monk range		
c)	Essence Vodka	Refractive index 20°c Relative density 20/20	1.12-1.442 1.025-1.045	Orange flavour (Magic moment orange vodka range)		
d)	Essence Gin	Refractive index 20°c Relative density 20/20	1.44-1.47 0.995-1.043			

#### 11. Specification for Essence-Flavour: -

#### 12. Specification for Caramel: -

S. No.	Parameters	Specification	Remarks
1.	PH	2.50 - 3.50	i) Food grade & as per
2.	Solid content	62 - 77%	FSSI norms
3.	Colour	0.01 - 0.12%	ii) Appearance dark
4.	Lead (as Pb)	Max 5.0 mg/kg	brown thick liquid free
5.	Amonical nitrogen	Max 0.01%	from lumps/sludge BIS
6.	Arsenic (as As)	Max 3 mg/kg	type 1
7.	Total Sulphur	Max 0.3%	iii) As per IS-4467-1966 &
8.	Total nitrogen	Max 0.1%	1699:1995
9.	Heavy metals	Max 25 mg/kg	
10.	Mercury (as Hg)	Max 0.1 mg/kg	
11.	Copper (as Cu)	Max 20 mg/kg	

#### 13. Specification of ENA (Grain Based) IS-6613-2002:

· · · · · ·		
SN	Characteristic	Requirements
i.	Relative density at 20/20°C	0.806 92
ii.	Ethanol percent (v/v at 20°C), Min	96
iii.	Miscibility with water	Miscible
iv.	Acidity as acetic acid, g/100 l, absolute alcohol, Max	1.5
v.	Residue on evaporation, g/100 l, absolute alcohol, Max	1.5
vi.	Esters as CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub> g/100 l, absolute alcohol, Max	1.3
vii.	Lead, g/100 1, absolute alcohol, <i>Max</i>	0.1
viii.	Methyl alcohol g/100 l of absolute alcohol, Max	50
ix.	Furfural	Not Detectable
х.	Aldehyde as acetaldehyde g/100 L, absolute alcohol, Max	0.000 5
xi.	Permanganate reaction time, in minutes, absolute	30
	alcohol <i>, Min</i>	
xii.	Copper ( as Cu ), g/100 L, absolute alcohol, Max	0.002
xiii.	Higher alcohol as iso-amyl alcohol, g/100 l, absolute	30
	alcohol <i>, Max</i>	

#### 14. Specifications:-

a) Kesar Kasturi 180 ml outer box (cartoon):

1	Ply	05 Ply		
2	Size (mm)	400 (L) x 267 (W) x 315(H)		
3	Papers	Top layer (LWCT) white paper printed: 230 gsm		
		Inner 3 layer brown paper semi-3 : 100 gsm each		
		Innermost layer Kraft (1) brown paper :150 gsm		
4	Weight	605 gm		
5	B.S.	7.5 kg/cm <sup>2</sup> (Minimum)		
6		Single plate: 3 ply		
		Size: 15 x 10 inch		
		Paper: all papers of 100 gsm		

b) Gift pack : 2 pcs of 180 ml nips

1	Papers	SBS 400 gsm
2	Printing	Multicolor offset printing with thermal gloss
		lamination
3	Inside packing cap flap of	400 gsm SBS paper and multicolor printing thermal
	both bottles	gloss lamination and both cap die cutting
4	Size	5.25 X 9.50 X 2.50 inches
5	Top flap	5.25 X 3.125 inches
6	Bottom flap	5.25 X 2. 25 inches

#### c) Outer box for gift box: to pack 12 gift box 180 ml nips

1	Ply   5 ply corrugated box		
2	Size	16 X 11.25 X 10 inches	
2	Printing	Single color printing	
3	Top layer white paper LWC-1	grey back 230 gsm duplex	
4	Inner 3 layer	Brown paper (semi-3, 100 gsm)	

d) Outer box (cartoon) for Kesar Kasturi 750 ml glass bottle:

<u>u) Ou</u>	Outer box (cartoon) for Kesar Kasturi 750 nn grass bottle.				
1	Ply	05 ply			
2	Size (mm)	345 (L)x275(W) x 285(H)			
3	Papers	Top layer (LWCT) white paper printed : 230 gsm			
		Inner 3 layer brown paper semi-3 : 100 gsm each			
		Innermost layer Kraft (1) brown paper :150 gsm			
4	Weight	560 gm			
5	B.S.	7.5 kg/cm <sup>2</sup> (minimum)			

e) Specifications for Jagmohan/ Chandra Hass/ Mawalin / Royal KK 90 ml glass outer box (carton) for 50 numbers :

SN	Item	Royal KK 90	Mawalin 90	Chandra Hass	Jagmohan 90
		ml	ml	90 ml	ml
	Specifications				
1	Ply	05 Ply	05 Ply	05 Ply	05 Ply
2	Size (mm)	590 (L) x	515 (L) x	622 (L) x	450 (L) x
		292(W) x	260(W) x	312(W) x	280(W) x
		109(H)	108(H)	112(H)	108(H)
5	Papers	Top layer (LWCI) white paper printed			: 230 gsm
		Inner 3-layer brown paper semi-3			: 100 gsm

		Each			
		Innermost layer Kraft (1) brown paper : 150 gsm			
6	Weight (min)	565 gm	455 gm	630 gm	455 gm
7	B.S.	$9.5 \text{ kg/ cm}^2$	9.5 kg/ cm <sup>2</sup>	9.5 kg/ cm <sup>2</sup>	9.5 kg/ $\text{cm}^2$
		(Minimum)	(Minimum)	(Minimum)	(Minimum)

f) Specification for IMFL corrugated box:

SN	Item	IMFL 180 ml corrugated box	IMFL 750 ml corrugated box
	Specifications		
1	Size (mm)	495 (L) x 372 (W) x 167(H)	395 (L) x 296 (W) x 255 (H)
2	Papers	Top layer paper:	Kraft-1, 150 gsm
		Inner 2 layer paper	r: Semi-2, 120 gsm
3	Weight (min)	405 gm	330 gm
4	Plate	3 ply all paper 100 gsm	3 ply all paper 100 gsm
		Size (mm): 480 x 355	Size (mm): 380 x 280
		Weight: 55 gm	Weight: 35 gm
		B.S.: 3.8 kg/cm <sup>2</sup>	B.S.: 3.8 kg/cm <sup>2</sup>
5	B.S. (minimum)	$5.2 \text{ kg/cm}^2$	$5.2 \text{ kg/cm}^2$

g) Specifications of cartoon box for sanitizer bottles:

SN	Item	Flip/Spray/Pump cap 100 ml	
	specifications		
1	Pet per pack	24	48
2	Length	215mm	355mm
3	Width	168mm	266mm
4	Height	145mm	117mm
5	Weight of box (min)	75gm	190gm
6	B.S. (minimum)	4.0	4.6
7	Ply	3	7
8	Papers		Top layer (LWCI) craft brown paper printed : 140 gsm Inner 2-layer brown paper semi-2: 100 gsm Each

SN	Item	Flip/Spray/Pump cap 200 ml	
	specifications		
1	Pet per pack	24	48
2	Length	295mm	392 mm
3	Width	196mm	295 mm
4	Height	$200 mm \pm 5$	$200\ mm \pm 5$
5	Weight of box	155gm	270 gm
	(min)		
6	B.S. (minimum)	4.6	4.6
7	Ply	3	3

8	Papers	Top layer (LWCI) craft brown paper printed : 140 gsm	Top layer (LWCI) craft brown paper printed : 140 gsm
		Inner 2-layer brown paper semi-2: 100 gsm Each	Inner 2-layer brown paper semi-2: 100 gsm Each

SN	Item	Flip/Spray/Pump cap 500 ml	
	specifications		
1	Pet per pack	10	20
2	Length	350mm	350mm
3	Width	145mm	290mm
4	Height	$230 \text{mm} \pm 5$	230mm ± 5
5	Weight of box	300gm	530gm
	(min)		
6	B.S. (minimum)	9.5	9.5
7	Ply	5	5
8	Papers	Top layer (LWCI) craft	Top layer (LWCI) craft
		brown paper printed :	brown paper printed : 230
		230 gsm	gsm
		Inner 3-layer brown	Inner 5-layer brown paper
		paper semi-3: 100 gsm	semi-3: 100 gsm Each
		Each	Innermost layer craft (1)
		Innermost layer craft (1)	brown paper :150 gsm
		brown paper :150 gsm	

SN	Item	Flip/Spray/Pump cap 1000 ml		
	specifications			
1	Pet per pack		10	20
2	Length	4	40 mm	440 mm
3	Width	1	75 mm	360 mm
4	Height	280	) mm ± 5	$280\ mm \pm 5$
5	Weight of box	4	40 gm	980 gm
	(min)			
6	B.S. (minimum)	9.5	kg./cm <sup>2</sup>	10.5 kg./cm <sup>2</sup>
7	Ply		5	7
8	Papers	Top layer	(LWCI) craft	Top layer (LWCI) craft
		brown paper printed :		brown paper printed : 230
		230 gsm		gsm
		Inner 3-lay	yer brown	Inner 5-layer brown paper
		paper sem	i-3: 100 gsm	semi-3: 100 gsm Each
		Each		Innermost layer craft (1)
		Innermost layer craft (1)		brown paper :150 gsm
		brown paper :150 gsm		
h) S	pecifications of cartoo	n box for pa	acking 48 RML r	nips 180 ml:
SN	N Item		RMI	180 ml cartoon box

		Specifications		
1		Size (mm)	4	40 (L) x 340 (W) x 160 (H)
2		Bottom plate (mm)	430 (L) x 330 (W)	
3	W	Veight of cartoon including	285 gm + 45 gm	
		single bottom plate		
4		B.S.		Minimum 3.8 kg/ $cm^2$
5	The	boxes should be made of 3 ply o	f minim	
-		ng semi craft paper.		
6		box will be printed in single colo	our on a	ll the 4 sides as per design and
-		our to be informed by RSGSML t		
i) S		fications of cartoon box for packi		
SN	Iten		0	RML 750 ml cartoon box
		Specifications		
1		Ply		5 ply corrugated box
2		Size (inch)	1	3.1 (L) x 10 (W) x 10.7 (H)
3	Pan	er top layer and bottom layer bro		
<u> </u>	-	er 3 layer brown paper (semi-, 10	<u> </u>	A (Mult-2, 150 golli)
	11110		Ŭ,	
5	<u> </u>	Weight		490 grams (in all) minimum
6		y supporter jail semi – 3 paper 10	00 gsm	
		a) Size: 12.5 x 7 inch 2 pieces		
		b) 9.7 x 7 inch 3 pieces		-
j) (		gated Boxes for CL Glass (12 bott		
	Sn	Particulars		Norms
	1	Ply Weight Demonstrate (asia)	1	3 ply (semi craft brown paper)
	23	Weight Box with plate (min.)		235 gms 310x240x275mm
	3 4	Size (mm) LxWxH Bottom Plate (LxW)		300x240x275mm 300x235 mm
	4 5	Bursting Strength (minimum)		nin 4.2 k.g /cm2
	6	G.S.M. PAPERS (minimum)		20
	0	16 BF semi carft brown paper		100
				100
	7	Printing & colour		As per RSGSM Requirement
	8	Jali 3 ply 100 GSM		75x305mm (3 pcs) & 175x235
				nm (2pcs)
<u>k)</u> (	Corru	igated Boxes for RML (Whisky/Ri	ım) 180	ml New Glass Nips
1	Pl		03 Ply	
2		ze LxWxH (mm)	-	45x160
3		ate size LxW (mm)	430x33	
4		eight of Cartoon with Plate gms	360 gn	ns
5	\ \	in)	Min 1	$\frac{2 k \pi}{m^2}$
5		ursting Strength kg/cm <sup>2</sup> SM (mm)		3 kg/cm <sup>2</sup> X120 GSM
0				X120 GSM X120 GSM
	Upperx Middle x Inner			X120 GSM X100 GSM
7	Ia	li Size (mm)		27 (5pcs) & 340x 127 (7pcs)
8		li gsm	100 GS	
Ĭ	54	<i>O</i>	100 GS	
			100GS	
			As per RSGSM Requirement	

#### l) Corrugated Boxes for RML (Gin/Vodka) 180 ml New Glass Nips

1	Ply	03 Ply
2	Size LxWxH (mm)	410x310x166
3	Plate size LxW (mm)	400x300
4	weight of Cartoon with Plate	305 gms
	GMS (Min)	
5	Bursting Strength kg/cm <sup>2</sup>	Min 4.20 kg/cm <sup>2</sup>
6	GSM (mm)	16 BFX120 GSM
	Upperx Middle x Inner	16 BFX100 GSM
		16 BFX100 GSM
7	Jali Size (mm)	410x 127 (5pcs) & 310x 127 (7pcs)
8	Jali gsm	100 GSM
		100 GSM
		100GSM
8	Printing & Design	As per RSGSM Requirement

#### m) Corrugated Boxes for CL Glass (180 ml)

Sn	Particulars	Norms
1	Ply	3 ply (semi craft brown paper)
2	Weight Box with plate (min.)	345 gms
3	Size (mm) LxWxH	375x365x142mm
4	Bottom Plate (min.)	370x360 mm
5	Bursting Strength (minimum)	Min 4.30 k.g/cm2
6	G.S.M. PAPERS (minimum)	120 gsm
	16 BF semi carft brown paper	120 gsm
		100 gsm
7	Printing & colour	As per RSGSM Requirement

# <u>Specification of HDPE jerry can and pet bottles with cap, mist spray & pump of various types</u>

SN	Bottle	500 ml	1000 ml
Ι.	Nominal Capacity	500 ml	1000 ml
II.	Brim-full Capacity	$514 \text{ ml} \pm 3$	$1050 \text{ ml} \pm 5$
III.	Weight (without cap) [MINIMUM]	39.00 gm	39.50 gm
IV.	Shape	Flat shaped w submit their s	ith soft edges; Interested bidders may also samples.
V.	Height (±1.5 mm)	190 mm	195 mm
VI.	Front (flat side)- Top (±1.0 mm)	68.75 mm	To suit the volume
VII.	Front (flat side)- Bottom (±1.0 mm)	84.00 mm	
VIII.	Side Width- Top (±1.0 mm)	42.00 mm	
IX.	Side Width- Bottom (±1.0 mm)	53.40 mm	
Х.	Neck size	25 mm	28 mm
XI.	Neck Diameter	To suit the bo	ottle size
XII.	Colour & finishing	Clear and tran	nsparent with smooth glossy finish

#### b. Dimensions for HDPE jerry cans:

SN	HDPE Jar with inbuilt handle and screw cap	5000 ml
١.	Nominal Capacity	5000 ml

11.	Brim-full Capacity (ml)	$5620 \text{ ml} \pm 3$
III.	Weight (without cap) [MINIMUM]	160.00 gm
IV.	Shape	Inbuilt handle of around 35 mm
V.	Height (±1.5 mm)	276.00 mm
VI.	Width (±1.0 mm)	125 mm
VII.	Neck diameter (±2.0 mm)	36 mm
VIII.	Neck Diameter	20.0 mm
IX.	Colour & finishing	Clear with smooth finish
Х.	Сар	White coloured PVC with a hole and sealer; screw fit
XI.	Cap weight	6 gm (approx.)
XII.	Tolerance/ strength	Should not wobble while holding and carrying


i) Pump Cap 28MM/25MM Dispenser - As per annexure "J"

- (A) Neck size : 28mm Weight : minimum 11.50 gm
- (B) Neck size : 25mm
   Weight : minimum 10.00 gm
   Colour White and pipe for 25MM and 28 MM
- ii) Mist Spray Cap
  - a) Neck 25mm
    - b) Weight : minimum 6.50 gm
    - c) Colour White
    - d) With cover and straw pipe
- iii) Mist Spray Cap
  - a) Neck 28mm
  - b) Weight : minimum 7.00 gm
  - c) Colour White
  - d) With cover and straw pipe
  - b. Raw material: Virgin recyclable PET chips/ Resin; Grade-I is base of pet bottles.
  - c. Certificates required: ITRC for toxic effect with alcohol.
  - d. Successful bidder shall have to submit an affidavit confirming to the quality of bottles as per IS Specifications 12229: 1987.
  - e. Pet Bottles should be clear, colourless and transparent.

### 15. Guawla cap

<b>Non- Refillable Closure</b> 4. LIST OF COMPONENTS / SEQUENCE OF OPERATIONS:			
2.12	Components	Raw Material	Color
1.	Bodytube	HDPE (High Density Polyethylene)	According to the customers requirements
2.	Overcap	HDPE (High Density Polyethylene)	According to the customers requirements
3.	Pourer	PS (Polystyrene)	Transparent or as per customers requirement
	Valve	HDPE (High Density Polyethylene)	Clear
	Washer	LDPE (Low Density Polyethylene)	Clear

NOTE: All the raw materials that are used in Closure are of food grade.



#### 4.1 MOULDING

- Bodytube is molded as per the customers color requirements. (a) (b)
  - Overcap is molded as per the customers color requirements either Plain or Embossed.
- Pourer is molded in natural or any other color specified by the customer. (c)
- (d) Washer & Valve is molded in natural color.

3)

H3 D I R	H2-36.7 B	R1 R1 R2 gD1=90,7 C gD2=90,7 C gD3		FREE HERO SPICE = 35 WIN. OF THE BOTTLE VILLING		
Å	-	CLOSURE HEIGHT - 59 mm	e Cali			ie suite state
VCCE.	CLOSURE	COMPALSORY         ADMSABLE           10 THE CHORE OF TRANS WAVEFATURER         THE CHORE OF TRANS WAVEFATURER         THE CASTOVER           02         10 THE CHORE OF TRANS WAVEFATURER         THE CASTOVER           NT         TOLL         N           NT         TOLL         R2	NFDBWETHE A B C	FEPLACES DRW. E-350: E-351: E-352 DATE:           FEPLACES DRW. E-355 DATE:           FEPLACES DRW. E-355 DATE:           GROUP           No.           WATERAL           Seme           Date           Stam	0 27/01/03 AND DRW. E-376: E-377: E-370	8 DATED 06/02/98
VCCEL.	RECHT	COMPUSORY ADMSABLE COMPUSORY TO THE CHOICE OF TO THE CHOICE OF TAXIS WALFACTURER THE CHOICE OF TAXIS WALFACTURER THE CHOICE OF TO THE CHOICE OF TO THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF THE CHOICE OF THE CHOICE OF THE CHOICE OF THE CHOICE OF TO THE CHOICE OF T		FEPLACES DRW. E-350: E-301: E-352 DATEL           FEPLACES DRW. E-355 DATED 24/05/93           GROUP         No.           WATERAL	27/01/83 AND DRW. E-376: E-377: E-377 SHRIWAGE TITLE: FITMENT DETAIL	Remarks

Annexure 'H' SR FORM-17

#### AGREEMENT

(See Rule 68)

- 2. Whereas the approved supplier has agreed with the RSGSM to supply to the\_\_\_\_\_\_ of the Rajasthan State Ganganagar Sugar Mills Ltd. at its Head Office as well as at branches offices throughout Rajasthan, all those articles set forth in the schedule appended hereto in the manner set forth in the conditions of the tender and contract appended herewith and at the rates set forth in column\_\_\_\_\_\_ of the said schedule.
- 3. And whereas the approved supplier has deposited a sum of Rs.\_\_\_\_\_ in \_\_\_\_\_.
  - (1) Cash/Bank Draft/ Bank Guarantee /Banker Cheque No.\_\_\_\_\_\_ dated\_\_\_\_\_.
  - (2) Post Office Savings Bank Pass Book duly hypothecated to the Departmental authority.
  - (3) National Savings Certificates/Defence Savings Certificates, Kisan Vikas Patras, or any other script/instrument under National Saving Schemes for promotion of Small Savings, if the same can be pleased under the relevant rule. (The certificates being accepted at surrender value) as security for the due performance of the aforesaid agreement which has been formally transferred to the departmental authority.
- 4. Now these Presents witness:
  - (1) In consideration of the payment to be made by the Government through\_\_\_\_\_ at the rates set forth in the Schedule hereto appended the approved supplier will duly supply the said articles set forth in\_\_\_\_\_ and \_\_\_\_\_ thereof in the manner set forth in the conditions of the tender and contract.
  - (2) The conditions of the tender and contract for open tender enclosed to the tender notice No.\_\_\_\_\_ dated\_\_\_\_\_ and also appended to this agreement will be deemed to be taken as part of this agreement and are binding on the parties executing this agreement.
  - (3) Letters Nos.\_\_\_\_\_ received from tenderer and letters nos.\_\_\_\_\_ issued by the Government and appended to this agreement shall also form part of this agreement.

(4)

- (a) The RSGSM do hereby agree that if the approved supplier shall duly supply the said articles in the manner aforesaid observe and keep the said terms and conditions, the RSGSM will through\_\_\_\_\_ pay or cause to be paid to the approved supplier at the time and the manner set forth in the said conditions, the amount payable for each and every consignment.
- (b) The mode of Payment will be as specified below:1.\_\_\_\_\_\_
  2.

3.\_\_\_

5. The delivery shall be effected and completed within the period noted below from the date of supply order:-

a) From ..... to .....

6. (1)(i) In case of extension in the delivery period with liquidated damages, the recovery shall be made on the basis of following percentages of value of stores which the bidder has failed to supply :-

S.	Items	Delivery
No.		period
<b>a</b> )	Delay upto one fourth period of the prescribed delivery period.	$2\frac{1}{2}$ % + 18%
		GST
<b>b</b> )	Delay exceeding one fourth but not exceeding half of the	5% + 18%
	prescribed delivery period.	GST
<b>c</b> )	Delay exceeding one half but not exceeding three fourth of the	$7\frac{1}{2}\% + 18\%$
	prescribed delivery period.	GST
<b>d</b> )	Delay exceeding three fourth of the prescribed delivery period.	10% + 18%
		GST

Note :

- (i) Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- (ii) The maximum amount of agreed liquidated damages shall be 10% + 18% GST
- (iii) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to the authority which had placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- (2) Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hindrances beyond the control of the bidder.
- 7. All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by the Government and the decision of the Government shall be final.

In witness whereof the parties hereto have set their hands on the...... day of ......201......

Signature of the<br/>approved supplier.Signature for and on behalf of Rajasthan<br/>State Ganganagar Sugar Mills Ltd.<br/>Dy. General Manager (Purchase)Date:Date:Witness No. 1Witness No. 1

Witness No. 2

Witness No. 2

#### **Annexure -I**

# **CHECK LIST (TECHNICAL BID)**

# <u>To be filled by the bidder</u> (Information/ documents to be provided along with the bid document & requisite bid security. Without bid security, the bid shall not be considered for evaluation)

SN	Particulars	Details to be filled by bidder	Pg. no.
1.	Name of bidder		
2.	Name of the owner/ proprietor/ partner/ other (Enclose verification from respective bank/ partnership deed/memorandum of articles and association etc.)		
3.	Address: - (1) Office address, phone no, fax no, email (2) Laboratory address phone no, fax no, email		
4.	List of branch if any		
5.	Registration Of NABL		
6.	Registration under Drugs and Cosmetics Act 1940 and Rules 1945		
7.	IfRegisteredwiththeIndustriesDepartment/MSMEofRajasthan(kindlyindicateUdhyogAadharMemorandumandregistrationcertificateofRajasthanIndustriesDepartment/MSME)(Enclose copy)(Enclose copy)(Enclose copy)		
8.	Laboratory owned or taken on lease (copy of ownership / lease deed / rent agreement registered with competent authority)		
9.	<b>Power connection</b> (copy of latest electricity bill, also inform whether there is captive power facility or not)		
10.	<b>GSTN</b> (Enclose copy of certificates of GSTN)		
11.	Latest GST challan /return (Enclose latest challan of last quarter)		
12.	Income tax permanent account no.		

	(Enclose copy of PAN)		
13.	Bidder should offer a minimum 50 %		
	items Lab test, mention in Annexure-K.		
	Has bidder offered more than 50% items		
	Lab test proposal.		
14.	Bidder should offer for at least 7 items out		
	of 13 items Lab test, mention in		
	Annexure-L.		
	Has bidder offered at least 7 items ?		
15.	Offered Lab test item	1.	
		2.	
		3.	
		4.	
		5.	
		6.	
		7. 8.	
16.	Bid security	0.	
10.	(Enclose details of payment)		
17.	Affidavit on Rs. 100/- non-judicial stamp		
	as per annexure B		
	(Enclose non judicial stamp paper duly		
	notarized)		
18.	Average annual turnover - ₹ 05.00 lacs in		
	last three last FY's (i.e. 2020-21, 2021-22		
	and 2022-23).		
10	(Please enclose CA certificate)		
19.	Past Experience – 2 Year in the same nature of business.		
	(Please enclose experience certificate)		
20.	List of technology and instruments used		
20.	by bidder		
21.	Duly signed bid documents attached		
22.	Specification wise complete list of		
	instruments which will be used for lab		
	testing		

Annexure-K

	Аппехиге-К		
S. N.	Item Description		
	A. Edible Items		
1.	Kesar Patti		
2.	Food Masala (छोटी⁄बडी ईलायची, मुलेठी, जायफल, सेव मुरब्बा, तेज पत्ता, जावित्री, चन्दनचुरा, इत्यादि <u>)</u>		
3.	Carmel Colour (Whisky, Rum)		
4.	ENA		
5.	Country Liquor		
6.	Rajasthan Made Liquor (Whisky, Rum, Vodka, Gin etc.)		
7.	Heritage Liqour (Kesar Kasturi, Chandrhass, Royal Souf, Jagmohan, Mahuwa etc.)		
8.	Winery Products		
9.	Essence (Whisky, Rum, Vodka, Gin)		
B. Non- Edible Items/ Packing Material			
1.	Corrugated Box (all types)		
2.	Ворр Таре		
3.	Gum Paste Polymer based adhesive gum (for pet bottles)		
4.	Gum Paste Liquid gum (for glass bottles)		
5.	Lables (all types)		
6.	Glass Nips and Bottle (all types)		
7.	Pet Nips		
8.	Ropp Seals (all types)		
9.	Inner /Outer Box (all types)		
10.	HDPE Jerry Can		
11.	Flip Cap/Mist Spray/Pump Cap (all types)		
12.	Glycerol		
13.	Hydrogen Peroxide		
14.	Alovera		
15.	Guawla Cap		
16.	Paradin		

#### Annexure-L

The Bidder **must offer for at least 7 items out of 13 following bid items** otherwise the bid shall not be considered and bidder shall be liable for rejection:-

S. N.	Item Description
1.	Carmel Colour (Whisky, Rum)
2.	ENA
3.	Country Liquor
4.	Rajasthan Made Liquor (Whisky, Rum, Vodka, Gin etc.)
5.	Heritage Liqour (Kesar Kasturi, Chandrhass, Royal Souf, Jagmohan, Mahuwa etc.)
6.	Corrugated Box (all types)
7.	Ворр Таре
8.	Gum Paste :-
	01- Polymer based adhesive gum (for pet bottles)
	02- Gum Paste Liquid gum (for glass bottles)
9.	Glass Nips and Bottle (all types)
10.	Pet Nips
11.	Ropp Seals (all types)
12.	Essence (Whisky, Rum, Vodka, Gin)
13.	Guawla Cap